


Seat No.	
-------------	--



**B.A. (Part - II) (Semester - III) Examination, December - 2015**

**PSYCHOLOGY (Paper - III)**

**Child Psychology**

**Sub. Code : 61983**

**Day and Date : Wednesday, 09 - 12 - 2015**

**Total Marks : 50**

**Time : 03.00 p.m. to 5.00 p.m.**

- Instructions:**
- 1) All questions are compulsory.
  - 2) Figures to the right indicate full marks.

**Q1)** Complete the following sentences by choosing correct alternative given in the bracket. **[10]**

- i) 'XXY' syndrome is a chromosomal disorder in which the \_\_\_\_\_ has extra 'y' chromosome.
 

a) male	b) female
c) animal	d) Male and female
- ii) The \_\_\_\_\_ period is the period of prenatal development that occurs from 2 to 8 weeks after conception.
 

a) Germinal	b) Embryonic
c) fetal	d) Genetal
- iii) At birth, the newborn's brain is about \_\_\_\_\_ percent of its adult weight.
 

a) 25	b) 50
c) 70	d) 80
- iv) \_\_\_\_\_ reflex, which occurs in response to a sudden intense noise.
 

a) grasping	b) sulking
c) moro	d) walking
- v) Turner syndrome occurs in \_\_\_\_\_.
 

a) males	b) females
c) animals	d) birds
- vi) The fetal period, lasting about \_\_\_\_\_ months.
 

a) two	b) three
c) six	d) seven

- vii) \_\_\_\_\_ psychosocial stage associated with early childhood is initiative versus guilt.
- a) piaget's
  - b) erikson's
  - c) turner's
  - d) down's
- viii) The motor accomplishments of the \_\_\_\_\_ year bring increasing independence of infants.
- a) first
  - b) second
  - c) second and half
  - d) third
- ix) In \_\_\_\_\_ syndrome abnormality 21 chromosomal is having three chromosomes instead of two.
- a) turner
  - b) fragile 'x'
  - c) klinefelter
  - d) down
- x) There are \_\_\_\_\_ stages in prenatal development.
- a) two
  - b) three
  - c) four
  - d) five

**Q2) Answer the following questions:**

a) Describe

- i) genes and chromosomes
- ii) genetic principles

[10]

OR

Discuss the course /stages of prenatal development.

b) Explain the growth and development in infancy.

[10]

OR


Describe emotional development in early childhood.

**Q3) Write short notes (any four):**

- a) Collaborative gene
- b) Shared and non-shared environmental experiences.
- c) The brain - prenatal development
- d) Sleep - infancy
- e) Incompatible blood (group) types
- f) The intuitive thought substage of piagets preoperational stage.

[20]

## मराठी रूपांतर



- सूचना : 1) सर्व प्रश्न आवश्यक आहेत.  
2) उजवीकडील अंक प्रश्नांचे पूर्ण गुण दर्शवितात.  
3) मूळ इंग्रजी प्रश्नपत्रिका पहाणे इष्ट ठरेल.

[10]

- प्र.1) खाली कंसात दिलेल्या पर्यायांपैकी योग्य पर्याय निवडून वाक्य पूर्ण करा.
- i) 'क्ष य य' संलक्षण ही गुणसुत्रिय विकृती आहे की ज्यामध्ये ..... एक जादा 'य' गुणसुत्र असते.  
अ) पुरुषांच्यामध्ये ब) स्त्रियांच्यामध्ये  
क) प्राण्यांमध्ये ड) स्त्री आणि पुरुषांमध्ये
- ii) गर्भ धारणेनंतरच्या पहिल्या दोन आठवड्यांच्या जन्मपूर्व विकासाच्या काळाला ..... म्हणतात.  
अ) बिजावस्था ब) भ्रूणावस्था  
क) गर्भावस्था ड) सुप्रावस्था
- iii) जन्मल्यानंतर नवजातांच्या मेंदूचे वजन प्रौढांच्या मेंदूच्या वजनाच्या ..... टक्के असते.  
अ) 25 ब) 50  
क) 70 ड) 80
- iv) जेव्हा अचानक आवाज येतो त्याला प्रतिक्रिया म्हणून ..... प्रतिक्रिया घडून येतात.  
अ) पकडण्याचा ब) चोखण्याचा  
क) मोरो ड) चालण्याचा
- v) ..... टर्नरचा संलक्षण आढळतो.  
अ) पुरुषांच्यामध्ये ब) स्त्रियांमध्ये  
क) प्राण्यांमध्ये ड) पक्षांमध्ये
- vi) गर्भावस्थेचा काळ साधारणपणे शेवटच्या ..... महिन्यांचा असतो.  
अ) दोन ब) तीन  
क) सहा ड) सात
- vii) पुढाकार घेणे विरुद्ध अपराधी भाव ही प्रारंभिक बाल्यावस्थेशी संबंधित ..... मनोसामाजिक अवस्था आहे.  
अ) पियाजॅची ब) एरिकसनची  
क) टर्नरची ड) डाउनची
- viii) ..... वर्षातील कारक संपादनामूळे अर्भकांचे संपादन वाढते.  
अ) पहिल्या ब) दुसऱ्या  
क) दोन आणि अर्ध्या ड) तीन

